Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	enable near signal with writ$3 with (plural$3 or many or several or multiple) near3 data near unit$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 15:21
S2	398	(control or enable) near signal same writ$3 with (first or source) near (location or register or memory) with (second or target) near (location or register or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 15:22
S3	12	(control or enable) near signal same writ$3 with (first or source) near (location or register or memory) with (second or target) near (location or register or memory) with (first and second) near clock$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 15:39
S5	3	synchroniz$3 with data with clock$2 near logic near domain$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 15:44
S6	1	("20040030862").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 15:44
S7	139	elastic adj buffer with (control or enable)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:11
S8	6	elastic adj buffer with (control or enable) with FIFO	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:12
S9	2	elastic adj buffer with (enable or start) near4 signal with controller	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:13
S10	15	elastic adj buffer same (enable or start) near2 signal and control$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:14
S11	4510	(many or several or multiple or dual or two) with (register) same (writ$3 with control$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:15

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12	124	(many or several or multiple or dual or two) with (register) same (writ$3 with control$3) with (start or enable) near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:15
S13	17	(many or several or multiple or dual or two) with (register) same (writ$3 with control$3) with (start or enable) near signal with (two or multiple or many or several) with (clock near signal)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:17
S14	2	elastic adj buffer with (first and second) adj clock adj signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:18
S16	14	elastic adj buffer with synchroniz$4 with clock adj signal$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:19
S21	2562	(multiple or many or several or plurality) with (register$1 and clock adj signal$1) and synchroniz$4	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:21
S22	725	(multiple or many or several or plurality) with (register$1 and clock adj signal$1) and synchroniz$4 and control near logic	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:21
S23	48	(multiple or many or several or plurality) with (register$1 and clock adj signal$1) and synchroniz$4 and control near logic with enable near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:22
S24	25	(multiple or many or several or plurality) with (register$1) with data same (clock adj signal$1) and synchroniz$4 and control near logic with enable near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:27
S25	1832	(multiple or many or several or plurality) with (register$1) with data and synchroniz$4 with clock$2 adj2 signal$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:27
S26	62	(multiple or many or several or plurality) with (register$1) with data and synchroniz$4 with clock$2 adj2 signal$1 and control adj logic with enable near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:30
S27	2250	(multiple or many or several or plurality) with (register$1) with clock$2 adj signal$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:30

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S28	18	(multiple or many or several or plurality) with (register$1) with clock$2 adj signal$1 and control near logic with enable near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:32
S29	1576	synchroniz$4 with clock adj signal$1 with (register$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:33
S31	20	synchroniz$4 with clock adj signal$1 with (register$1) and control near logic with enable near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:34
S33	18	synchroniz$4 with clock adj signal$1 with (first and second) near (register$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:42
S34	53	high near frequency with low near frequency with synchroniz$4 with clock near signal$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:42
S35	6	high near frequency with low near frequency with synchroniz$4 with clock near signal$1 with data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:43
S36	163	high near frequency with low near frequency with (writ$3 or transfer$3) with data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:44
S37	8	high near frequency with low near frequency with (writ$3 or transfer$3) with data with register$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:45
S41	1144	elastic near buffer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:46
S42	13	elastic near buffer and synchroniz$4 with (two or many or several or dual or multiple or plurality) with clock near signal$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:48
S43	97	(multiple or many or plurality or several) near3 (registers or storage or memory) with (multiple or many or dual or two) near3 clock near signal$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:49
S44	50	(multiple or many or plurality or several) near3 (registers or storage or memory) with (multiple or many or dual or two) near3 clock near signal$1 and synchroniz$4 with clock near signal$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/05 18:49

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S49	11	elastic adj buffer with (write and read) adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:10
S50	35	elastic adj buffer and (write and read) adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:10
S51	4	elastic adj buffer and (write and read) adj clock same enabl$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:40
S52	4	elastic adj buffer and (write and read) adj clock same (gap or silence or enabl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:42
S53	26	elastic adj buffer and (gap or enabl$3 or silence) with (clock$3 adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:42
S54	16	elastic adj buffer and (gap or enabl$3 or silence) with (clock$3 adj signal) and (first and second) with (register or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:47
S55	45	elastic adj buffer and (first and second) with (register$2 or memory or buffer$2 or storage$1) with (first and second) with (clock) and (reset or enabl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:54
S56	1	elastic adj buffer and (first and second) with (register$2 or memory or buffer$2 or storage$1) with (first and second) with (clock) and (read and write) near clock with (reset or enabl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:55

S57	16	elastic adj buffer and (first and second) with (register$2 or memory or buffer$2 or storage$2) with (first and second) with (clock) and (read and write) with (reset or enab$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:58
S59	1925	(transfer$3 or writ$3 or mov$3) with (first and second) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:39
S60	826	(transfer$3 or writ$3 or mov$3) with (first and second) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 and (enab$3 or gap or silence) near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:40
S61	15	(transfer$3 or writ$3 or mov$3) with (first and second) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 and (enab$3 or gap or silence) near2 signal and (synchroniz$5 with enab$3 near2 signal with second near signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:41
S62	825	(transfer$3 or writ$3 or mov$3) with (first and second) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 and (enab$3) near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:40
S63	739	(transfer$3 or writ$3 or mov$3) with (first and second) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 and (enab$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:50
S64	994	(transfer$3 or writ$3 or mov$3) with (first and second) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 and (enab$3 or trigger or reset or start) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:40

S65	746	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock signal$1 and (enab$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:50
S66	151	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 with (enab$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:50
S67	177	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 same (enab$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:51
S68	3	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 same (enab$3) near signal and high adj frequency with low adj frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:55
S70	3	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 with (enab$3 or reset$3 or trigger$3) near signal and high adj frequency with low adj frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:57
S73	189	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 with (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 17:59

S77	1	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (buffer$1 or storage$1 or register$1 or memory or location$1) with (first and second) with clock near signal$1 with (enab$3 or reset$3 or trigger$3) near signal and multi near1 bit near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 18:03
S78	9	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (register$1) with (first and second) near2 clock near signal$1 with (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:28
S79	9	(transfer$3 or writ$3) with (first and second) near2 (register$1 or memory or RAM or buffer$2) with (first and second) near2 clock near signal$1 with (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 18:10
S80	3	(transfer$3 or writ$3) with data with (first and second) near2 (register$1 or memory or RAM or buffer$2) with (first and second) near2 clock near signal$1 with (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 18:13
S81	3	(transfer$3 or writ$3) with data with (first and second) near2 (register$1 or memory or RAM or buffer$2) with (first and second) near2 clock near signal$1 same (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 18:10
S82	5	(transfer$3 or writ$3) with data with (first and second) near2 (register$1 or memory or RAM or buffer$2) and (first and second) near2 (register$1 or memory or RAM or buffer$2) with (first and second) near2 clock near signal$1 with (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 18:17

S83	13	(transfer$3 or writ$3) with data with (first and second) near2 (register$1 or memory or RAM or buffer$2) and (first and second) near2 (register$1 or memory or RAM or buffer$2) with (first and second) near2 clock near signal$1 and (second near2 clock near signal) with (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 18:22
S84	1	(transfer$3 or writ$3) with data with (first and second) near2 (register$1 or memory or RAM or buffer$2) and (first and second) near2 (register$1 or memory or RAM or buffer$2) with (first and second) near2 clock near signal$1 and synchroniz$3 with (second near clock near signal) (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 18:23
S85	1	(transfer$3 or writ$3) with data with (first and second) near2 (register$1 or memory or RAM or buffer$2) and (first and second) near2 (register$1 or memory or RAM or buffer$2) with (first and second) near2 clock near signal$1 and synchroniz$3 with (second near2 clock near signal) with (enab$3 or reset$3 or trigger$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 18:22
S86	27	(("4225960") or ("4390969") or ("4408333") or ("4498176") or ("4745302") or ("4851710") or ("4866606") or ("4873703") or ("4920535") or ("4926445") or ("4935942") or ("4965465") or ("4973860") or ("5012127") or ("5083049") or ("5117442") or ("5146585") or ("5155745") or ("5237593") or ("5276807") or ("5331669") or ("5563891") or ("5604773") or ("5651034") or ("5729719") or ("5905766") or ("5956748")).PN.	USPAT; USOCR	OR	OFF	2005/04/15 08:25
S87	7	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (register$1) same (first and second or multiple or plural$3) near2 clock near signal$1 with (enab$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:39

S88	49697	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) with (register$1 or buffer$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:48
S89	29517	(transfer$3 or writ$3 or mov$3) with (first and second) with (register$1 or buffer$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:45
S90	2519	S89 and (multiple or many or several or plural$3 or (first and second)) with (clock adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:42
S91	1336	S90 and (enabl$3 or reset$3) adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:42
S92	10	S91 and (second adj clock) with (enabl$3 or reset$3) adj signal with synchroniz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:43
S93	2425	(transfer$3 or writ$3 or mov$3) with (first and second) with (register$1 or buffer$2) with (first and second) with (clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:46
S94	62	S93 and (second) near (clock) with (enabl$3 or reset$3) near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:46
S95	17	S94 and data near bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:46

S96	11538	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) adj2 (register$1 or buffer$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:48
S97	403	(transfer$3 or writ$3 or mov$3) with (first and second or multiple or many or several or plural$3) adj2 (register$1 or buffer$2) with data adj bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:49
S98	136355	(S97) adn ((enabl$3 or reset$3) adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:50
S99	206	(S97) and ((enabl$3 or reset$3) adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:50
S101	1	(S97) and ((enabl$3 or reset$3) adj signal) with (write or read) adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:51
S102	5	(multiple or many or several or plurality) with (register$1 and clock adj signal$1) and synchroniz$4 with enable near signal with second near clock	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 16:50
S104	207	(transfer$3 or writ$3) with data and (source and target) near location	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 16:51
S106	47	(transfer$3 or writ$3) with data same (source and target) near location	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 16:51
S107	4	(transfer$3 or writ$3) with data same (source and target) near location and (multiple or many or several or plural$3 or (first and second)) with (clock)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 16:54
S108	4	(transfer$3 or writ$3) with data same (source and target) near location and (enabl$3 or reset$3 or start$3) near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 16:57

S109	66	(transfer$3 or writ$3) with data same (source and target) near (register$2 or memory or buffer$3 or location$3) and (enabl$3 or reset$3 or start$3) near signal	US-PGPUB; USPAT; EPO	OR	OFF	2005/04/17 16:58
S113	457	(transfer$3 or writ$3) with data with (first and second or many or plural$3 or several or multiple) near3 clock near (signal or domain) and (enabl$3 or reset$3 or start$3) near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:01
S114	70	(transfer$3 or writ$3) with data with (first and second or many or plural$3 or several or multiple) near3 clock near (signal or domain) with (enabl$3 or reset$3 or start$3) near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:02
S115	24	(transfer$3 or writ$3) with data with (first and second or many or plural$3 or several or multiple) near3 clock near (signal or domain) with (enabl$3 or reset$3 or start$3) near signal and data near bus	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:37
S116	6	(transfer$3 or writ$3) with data with (first and second or many or plural$3 or several or multiple) near3 clock near (signal or domain) with (enabl$3 or reset$3 or start$3) near signal and data near bus and control near logic	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:02
S117	31	(transfer$3 or writ$3) with data with (second) near3 clock near (signal or domain) with (enabl$3 or reset$3 or start$3) near signal and data near bus	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:38
S119	36	(transfer$3 or writ$3) with data and (second) near clock near (signal or domain) with synchroniz$3 with (enabl$3 or reset$3 or start$3) near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:40
S120	14	(transfer$3 or writ$3) with data and (second) near clock near (signal or domain) with synchroniz$3 with (enabl$3 or reset$3 or start$3) near signal and data adj bus	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:51
S122	16439	(transfer$3 or writ$3) with data and (first and second) near (buffer or register or location)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:54

S123	16887	(transfer$3 or writ$3) with data and ((first and second) or (source and target)) near (buffer or register or location)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 17:54
S124	25	(transfer$3 or writ$3) with data and (first and second) near (buffer or register or location) and second adj clock with enabl$3 adj signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:05
S125	6	(("4887261") or ("5276688") or ("5537447") or ("5633634") or ("5633634") or ("5802122") or ("6009109")).PN.	USPAT; USOCR	OR	OFF	2005/04/17 18:01
S126	455	(transfer$3 or writ$3) with data with (higher or greater) with (lower or greater) with (data near rate or clock near signal)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:05
S127	609	(transfer$3 or writ$3) with data with (higher or greater) with (lower or greater) with (data near rate or clock near signal or timing)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:05
S128	192	(transfer$3 or writ$3) with data with (higher or greater) with (lower or greater) with (data near rate or clock near signal or timing) and enabl$3 adj signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:06
S129	177	(transfer$3 or writ$3) with data with (higher or greater) with (lower or greater) with (data adj rate or clock adj signal or timing) and enabl$3 adj signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:06
S130	12	(transfer$3 or writ$3) with data with (higher or greater) with (lower or greater) with (data adj rate or clock adj signal or timing) with enabl$3 adj signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:21
S131	3	(transfer$3 or writ$3) with data with (higher or greater) with (lower or greater) with (data adj rate or clock adj signal or timing) with control near logic	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:46
S132	123009	(multiple or several or plurality) with (data) with (storage or memory or buffer or locations)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:47
S133	4334	(multiple or several or plurality) with (data) with (storage or memory or buffer or locations) and (high with low) with (data adj rate or frequency)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:48

S13 4	1294	(multiple or several or plurality) with (data) with (storage or memory or buffer or locations) and (high with low) with (data adj rate or frequency) and (clock adj (signal or domain))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:48
S13 5	7	(multiple or several or plurality) with (data) with (storage or memory or buffer or locations) and (high with low) with (data adj rate or frequency) and (clock adj (signal or domain)) and enabl$3 adj signal with second adj (clock)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:53
S13 6	941	(high or first) adj (clock or frequency or data adj rate) with (low or second) adj (clock or frequency or data adj rate) and (enabl$3 or third or start$3 or reset$3) adj signal with (second) adj (clock or frequency or data adj rate)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:54
S13 7	267	(high or first) adj (clock or frequency or data adj rate) with (low or second) adj (clock or frequency or data adj rate) and (enabl$3 or third or start$3 or reset$3) adj signal with (second) adj (clock or frequency or data adj rate) and (transfer$3 or writ$3) adj3 data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:55
S13 8	67	S137 and control adj (logic or unit)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 20:22
S13 9	3	S137 and control adj (logic or unit) with (feedback)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 18:55
S14 0	126	(second) adj (clock or clock adj domain or clock adj signal or tim$3) with (synchroniz$5) with (external or third or enabl$3 or start$3 or reset$3) adj signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 20:23
S14 1	31	(second) adj (clock or clock adj domain or clock adj signal or tim$3) with (synchroniz$5) with (external or third or enabl$3 or start$3 or reset$3) adj signal and (transfer$3 or writ$3) with data with (buffer$2 or register$2 or location$2)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/17 20:24

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S7	60	transfer$3 with data and second adj clock with synchroniz$5 with (enabl$3 or external or control) adj signal	USPAT	OR	OFF	2005/04/19 09:53
S8	60	transfer$3 with data and second adj clock with synchroniz$5 with (enabl$3 or external or control) adj signal and (first and second) adj clock	USPAT	OR	OFF	2005/04/19 09:53
S9	54	transfer$3 with data and second adj clock with synchroniz$5 with (enabl$3 or external or control) adj signal and (first with second) adj clock	USPAT	OR	OFF	2005/04/19 09:53
S10	25	transfer$3 with data and second adj clock with synchroniz$5 with (enabl$3 or external or control) adj signal and (first with second) adj clock and data adj bus	USPAT	OR	OFF	2005/04/19 09:55
S12	3	transfer$3 with data and second adj clock with synchroniz$5 with (enabl$3 or external or control) adj signal with writ$3 and (first with second) adj clock and data adj bus	USPAT	OR	OFF	2005/04/19 11:29
S19	72990	transfer$3 with data and processor	USPAT	OR	OFF	2005/04/19 13:33
S20	3	transfer$3 with data and second adj clock with synchroniz$5 with (enabl$3 or external or control) adj signal with writ$3 and processor	USPAT	OR	OFF	2005/04/19 13:33
S21	107	transfer$3 with data and state adj machine with initializ$3 with data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 10:27
S22	61	transfer$3 with data and state adj machine with initializ$3 with data and data adj bus	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 10:28
S23	5	transfer$3 with data and state adj machine with initializ$3 with data and switch$3 with clock$3 adj signal with state adj machine	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 10:29